Alliance Training Guide

## Alliance

Alliance Arming Disarming

ARMING = Enter Security Access Code into the Keypad then push "ON"

DISARMING = Enter Security Access Code and push "OFF"

LEDS 1 2 3

SYSTEM STATUS	LED 1	LED 2	LED 3
Disarmed – Ready To Arm	Green	Yellow	
Disarmed – Open Zones	Green		
Armed – Ready To Disarm	Red	Yellow	
Armed – System in Alarm	Red		Red (Flashing)
Armed – Delayed Zone in Alarm	Red	Yellow	Red (Flashing)

Contact Information

If you need additional assistance, please contact us at:

➢ # Help Desk: 799-1048

The CCSD Security Systems Help Desk is available seven days a week, 5:00 am to 11:00 pm. If you are calling after normal hours, please leave a message and the Help Desk technician will be paged and get back with you at their earliest convenience.

Thank You.

1.0 RECORD RETENTION TABLE:

Identification	Storage	Retention	Disposition	Protection
SPD2-W005	CCSDPD website	Minimum of 5 years	Hard copy filed in folder in CCSDPD Security Systems	Server back-up

2.0 DOCUMENT REVISION HISTORY:

Date	Rev.	Description of Revision
04-Feb-2010	A	Initial Release of the document

3.0 PROCESS OUTPUT:
3.1 Step-by-step instructions for arming/disarming the Alliance alarm system.

4.0 THIS DOCUMENT APPROVED BY (Reference Document Control Form):
4.1 Director of Security Systems